

SPECIFICATIONS

R VALUE	THICKNESS—mm	CODE	NOMINAL PACKAGING	M ² /BALE	
ROOF BATTEN INSULATION (for skillion and truss)					
R0.9	35	09.35.570	2 x 6m x 570mm	6.84 m ²	
R1.2	45	12.45.570	2 x 5m x 570mm	5.70 m ²	
SKILLION ROOF (Blanket)					
R3.0	115	30.115.570	5 x 2.6m x 570mm	7.41 m ²	
R3.2	140	32.140.570	5 x 2.6m x 570mm	7.41 m ²	
R3.6	140	36.140.570	4 x 2.6m x 570mm	5.93 m ²	
R3.2	165	32.165.570	6 x 2.6m x 570mm	8.89 m ²	
R3.6	165	36.165.570	5 x 2.6m x 570mm	7.41 m ²	
R4.0	165	40.165.570	4 x 2.6m x 570mm	5.93 m ²	
R3.6	180	36.180.570	5 x 2.6m x 570mm	7.41 m ²	
R4.0	180	40.180.570	5 x 2.6m x 570mm	7.41 m ²	
R5.0 *	210	50.210.570	4 x 2.6m x 570mm	5.93 m ²	
R6.2 *	240	62.240.570	3 x 2.6m x 570mm	4.45 m ²	
R7.2 *	290	72.290.570	3 x 2.6m x 570mm	4.45 m ²	
TRUSS ROOF (Roll)					
R1.9	105	19.105.870	2 x 5m x 870mm	8.70 m ²	
R2.6	145	26.145.870	2 x 4m x 870mm	6.96 m ²	
R3.2	165	32.165.870	2 x 4m x 870mm	6.96 m ²	
R3.6	180	36.180.870	2 x 3.5m x 870mm	6.09 m ²	
R4.0	180	40.180.870	2 x 3.5m x 870mm	6.09 m ²	
DOUBLE LAYER TRUSS ROOF CEILING INSULATION					
	LAYERS—bottom+top				
R3.8	R1.9 + R1.9	210	38.210.870d	2 x 5m x 870mm	4.35 m ²
R4.5	R1.9 + R2.6	250	45.450.870d	2 x 4.5m x 870mm	3.92 m ²
R5.2	R2.6 + R2.6	290	52.290.870d	2 x 4m x 870mm	3.48 m ²
R6.4	R3.2 + R3.2	330	64.330.870d	2 x 4m x 870mm	3.48 m ²
R7.2	R3.6 + R3.6	360	72.360.870d	2 x 3.5m x 870mm	3.05 m ²
R8.0	R4.0 + R4.0	360	80.360.870d	2 x 3.5m x 870mm	3.05 m ²

DURABILITY

Terra Lana wool blend ceiling insulation has been BRANZ appraised to last for 50 years and comes with a 50 year warrantee.

INSECT RESISTANCE

Terra Lana wool insulation is manufactured from new wool, recycled wool and textile fibres that are treated for insect resistance.

SHELF LIFE

Terra Lana Wool Insulation is compression packed into polyethylene bags. The fibres will recover to design thickness after unpacking. However, the longer the compression, the longer the recovery. Terra Lana insulation should not be stored in compressed state for longer than 6 months.

BRANZ

Terra Lana wool blend insulation was developed and tested by the Wool Research Institute of New Zealand (WRONZ, now AgResearch) and is BRANZ appraised. Appraisal 682 : 2010



Terra Lana Products Ltd
 P: (03) 982 0211 // 0800 485 262 // info@terralana.co.nz
 55 Francella St, PO Box 19755, Christchurch, NZ
www.terralana.co.nz

WRAP YOUR HOME IN THE NATURAL WARMTH OF WOOL

