

	R VALUE	THICKNESS—mm	CODE	NOMINAL PACKAGING	M ² /BALE
CEILING	ROOF BATTEN INSULATION (for skillion and truss)				
	R0.9	35	09.35.570	2 x 6m x 570mm	6.84 m ²
	R1.2	45	12.45.570	2 x 5m x 570mm	5.70 m ²
	SKILLION ROOF (Blanket)				
	R3.0	115	30.115.570	5 x 2.6m x 570mm	7.41 m ²
	R3.2*	140	32.140.570	5 x 2.6m x 570mm	7.41 m ²
	R3.6	140	36.140.570	4 x 2.6m x 570mm	5.93 m ²
	R3.2*	165	32.165.570	6 x 2.6m x 570mm	8.89 m ²
	R3.6	165	36.165.570	5 x 2.6m x 570mm	7.41 m ²
	R4.0	165	40.165.570	4 x 2.6m x 570mm	5.93 m ²
	R3.6	180	36.180.570	5 x 2.6m x 570mm	7.41 m ²
	R4.0	180	40.180.570	5 x 2.6m x 570mm	7.41 m ²
	R5.0 (supplied in 2 layers)	210	50.210.570	4 x 2.6m x 570mm	5.93 m ²
	R6.2 (supplied in 2 layers)	240	62.240.570	3 x 2.6m x 570mm	4.45 m ²
	R7.2 (supplied in 2 layers)	290	72.290.570	3 x 2.6m x 570mm	4.45 m ²
	TRUSS ROOF (Roll)				
	R1.9*	105	19.105.870	2 x 5m x 870mm	8.70 m ²
	R2.6*	145	26.145.870	2 x 4m x 870mm	6.96 m ²
	R3.2*	165	32.165.870	2 x 4m x 870mm	6.96 m ²
	R3.6	180	36.180.870	2 x 3.5m x 870mm	6.09 m ²
R4.0	180	40.180.870	2 x 3.5m x 870mm	6.09 m ²	
DOUBLE LAYER TRUSS ROOF CEILING INSULATION (installed in two layers)					
LAYERS					
R3.8 = R1.9 + R1.9	210	38.210.870d	2 x 5m x 870mm	4.35 m ²	
R4.5 = R1.9 + R2.6	250	45.450.870d	2 x 4.5m x 870mm	3.92 m ²	
R5.2 = R2.6 + R2.6	290	52.290.870d	2 x 4m x 870mm	3.48 m ²	
R6.4 = R3.2 + R3.2	330	64.330.870d	2 x 4m x 870mm	3.48 m ²	
R7.2 = R3.6 + R3.6	360	72.360.870d	2 x 3.5m x 870mm	3.05 m ²	
R8.0 = R4.0 + R4.0	360	80.360.870d	2 x 3.5m x 870mm	3.05 m ²	
WALL	WALL INSULATION for service cavity				
	R1.2	45	12.45.570	2 x 5m x 570mm	5.70 m ²
	WALL INSULATION for studs at 600mm centres				
	R1.8	70	18.70.560	7 x 2.6m x 560mm	10.19 m ²
	R2.2*	90	22.90.560	6 x 2.6m x 560mm	8.74 m ²
	R2.4*	90	24.90.560	5 x 2.6m x 560mm	7.28 m ²
	R2.8	140	28.140.560	6 x 2.6m x 560mm	8.74 m ²
	R3.2*	140	32.140.560	5 x 2.6m x 560mm	7.28 m ²
	R3.6	140	36.140.560	4 x 2.6m x 560mm	5.82 m ²
	WALL INSULATION for studs at 400mm centres				
	R1.8	70	18.70.360	7 x 2.6m x 360mm	6.55 m ²
	R2.2*	90	22.90.360	6 x 2.6m x 360mm	5.62 m ²
	R2.4*	90	24.90.360	5 x 2.6m x 360mm	4.68 m ²
	R2.8	140	28.140.360	6 x 2.6m x 360mm	5.62 m ²
	R3.2*	140	32.140.360	5 x 2.6m x 360mm	4.68 m ²
R3.6	140	36.140.360	4 x 2.6m x 360mm	3.74 m ²	
ACOUSTIC	CHATTERBLOCK+ WALL INSULATION for studs at 600mm centres				
	R2.2*	90	22.90.560	6 x 2.6m x 560mm	8.74 m ²
	R2.4*	90	24.90.560	5 x 2.6m x 560mm	7.28 m ²
	R3.2*	140	32.140.560	5 x 2.6m x 560mm	7.28 m ²
	CHATTERBLOCK+ MID FLOOR INSULATION for floor joists at 450mm centres				
	R2.2	90	22.90.415	6 x 2.6m x 415mm	6.47 m ²
R3.2	140	32.140.415	5 x 2.6m x 415mm	5.40 m ²	
CHATTERBLOCK ECO WALL INSULATION for studs at 600mm centres					
R1.4	60	14.60.560	5 x 2.6m x 560mm	6.47 m ²	
UNDER FLOOR	UNDERFLOOR (roll width at 460mm for joists up to 450mm centres)				
	R1.8*	100	18.100.460	2 x 4m x 460mm	3.68 m ²
R2.6	140	26.140.460	4 x 4m x 460mm	7.36 m ²	

- Products are available in customised lengths and widths
- Minimum order quantities may apply
- Please allow two weeks for delivery from placement of order

* BRANZ Appraised

Terra Lana Products Ltd
 P: (03) 982 0211 // 0800 485 262 // info@terralana.co.nz
 55 Francella Street, PO Box 19755, Christchurch 8241, New Zealand
terralana.co.nz



WRAP YOUR HOME IN THE NATURAL ADVANTAGES OF WOOL